CeiliX Vehicles

A Novel and Multi-Purpose Overhead Locomotion Technology, Enabling Omnidirectional Vehicles to Operate on a Ceiling



Introduction

The CeiliX vehicles are a novel overhead locomotion technology that offers unprecedented mobility and scalability. The technology allows multiple. omnidirectional vehicles suspended on a ceiling structure to operate freely next to each other. The technology is protected by 11 patents. Space Applications Services NV/SA has the exclusive distribution rights for the Space and Health Care sector, while CeiliX AG & Technology GmbH focuses on terrestrial applications (industrial robots. automated warehouses, production industry, port operation, etc.)

CeiliX vs. Conventional Technologies:

Cranes allow reaching every point in their workspace. However, operations are highly constrained and do not allow for any vertical interruption (like a pillar). Also, the number and mobility of paralleloperating cranes are highly constrained by their kinematics.

In contrast, **overhead conveyors** allow multiple transport units to operate close to each other. However, conveyors follow a predefined track and thus are also limited in mobility.

The **CeiliX Vehicles** combine all benefits of traditional overhead operation systems while minimizing constraints on motion and workspace.



Locomotion Mechanism

CeiliX's locomotion system uses a caterpillar-like mechanism that is modified to mechanically attach under a dedicated ceiling structure. This novel locomotion technology enables a vehicle to traverse the ceiling structure in all directions (omnidirectional) and hence can reach every point in the workspace.

The locomotion system uses a Formfit connection to interact with the ceiling structure. By design, this connection allows for high load capacity (up to tons range) combined with a great level of safety.



CeiliX Vehicles exist in passive and active versions. The active one relies on Omni-wheels to enable side motion, which combined with the track motion, allows for omnidirectional motions. Active CeiliX Vehicles can be batterypowered or draw power directly from power lines embedded in the ceiling structure.

Applications

- Automation
- Intralogistics
- Crane Applications
- In-House inspections
- Health Care
- Space Applications

SERVICES AVAILABLE

- Installation on site
- Scaling and customisation of vehicle design and ceiling structure design
- Operators training
- Maintenance

For more information: Aerospace spaceapplications.com aerospaceapplications-na.com Non-Aerospace ceilix.com

Or contact us: guillaume.fau@spaceapplications.com tom.hoppenbrouwers@spaceapplications.com

ABOUT SPACE APPLICATIONS SERVICES

Space Applications Services NV/SA is an independent Belgian company founded in 1987. Aerospace Applications North America is our Partner company in Houston, USA.

Our aim is to research and develop innovative systems, solutions and products and provide services to the aerospace and security markets and related industries. Our activities cover manned and unmanned spacecraft, launch/re-entry vehicles, control centres, robotics and a wide range of information systems.

Space Applications Services NV/SA

Leuvensesteenweg 325, 1932 Sint-Stevens-Woluwe (Brussels Area) – Belgium +32 (0)2 721 54 84 info@spaceapplications.com www.spaceapplications.com



www.icecubesservice.com www.aerospaceapplications-na.com

Space Applications Services NV/SA

Leuvensesteenweg 325, 1932 Sint-Stevens-Woluwe (Brussels Area) – Belgium

+32 (0)2 721 54 84 info@spaceapplications.com www.spaceapplications.com


CeiliX Vehicles

A Novel and Multi-Purpose Overhead Locomotion Technology, Enabling Omnidirectional Vehicles to Operate on a Ceiling

Ceiling Structure

A specific ceiling structure supports the overhead locomotion of CeiliX Vehicles. It is built based on sets of tiles. Each tile supports parallel aligned profiles that allow for mechanical interactions with the CeiliX locomotion system.

The tile-based CeiliX ceiling structure fits to arbitrary building geometries, allows interconnecting separate work areas and getting around vertical obstacles such as pillars, pipes, or cable tracks.



The ceiling structure can be provided as a Self-Standing Frame or a Building Retro-fitted Structure.

Scalable & Extendable

The CeiliX overhead operation technology enables unprecedented scalability as the system allows for

CeiliX Vehicles Specifications

Vehicle Type	Small	Medium	Large	Passive
Dimensions	58 x 40 x 22 cm	75 x 79 x 25 cm	80 x 85 x 35 cm	70 x 75 x 20 cm
	23 x 16 x 9 in	30 x 31 x 10 in	32 x 34 x 14 in	28 x 30 x 8 in
Mass	25 kg	40 kg	60 kg	30 kg
	55 lbs	88 lbs	132 lbs	66 lbs
Load capacity	100 Kg	250 Kg	400 Kg	250 kg
	220 lbs	551 lbs	880 lbs	551 lbs
Velocity		2.5 m/s		n/a
(single axis)		8.2 ft/s		
Ceiling Peak	Battery	2.5kW	5kW	n/a
Power	powered			
Human Rated	No	Yes	Yes	Yes

changing/extending the ceiling structure as deemed required, as well as adapting the number and type of vehicles deployed depending on actual needs.

CeiliX Features

- **Omnidirectional Mobility**
- Multiple Vehicles Applications •
- High Payload Capacity •
- **Cooperative Operations** •
- Scalable and Extendable •
- Save and Reliable by Design
- **Power Supply**

Vehicle Usage

Cooperative Operations (increased payload)





Ceiling Frame with active S-size CeiliX Vehicle



Ceiling Frame with active M-size CeiliX Vehicle







Multi-Vehicle Application Heterogenic





www.icecubesservice.com www.aerospaceapplications-na.com